## Purview

Input File	Output File	Time Limit	Memory Limit
standard input	standard output	1 second	$256 { m MiB}$

There are N statues lined up along the shoreline of a sparsely inhabited Polynesian island. The local residents have endearingly named them from 1 to N, going from left to right.

Each year, the locals plant flowers in front of some of the statues. In front of each statue, the locals can plant any non-negative integer number of flowers (including 0).

Each statue is either facing to the left, or to the right. If the *i*-th statue is:

- Facing to the left, then it is able to see any flowers in front of statues  $1, 2, \ldots, i-1, i$ .
- Facing to the right, then it is able to see any flowers in front of statues i, i + 1, ..., N 1, N.

Note that every statue is able to see the flowers in front of itself.

The locals have determined that the *i*-th statue must be able to see at least  $F_i$  flowers. What is the fewest flowers that need to be planted to satisfy these requirements?

Furthermore, in subtasks 3, 4, and 5, you must also handle D demolitions. The *i*-th demolition destroys statue  $X_i$ , meaning that:

- You cannot plant any flowers in front of this statue, and
- this statue *does not* need to see at least  $F_i$  flowers anymore.

All flowers on the island disappear after each demolition. After each demolition, what is the fewest flowers that now need to be planted to satisfy these requirements?

#### Subtasks and Constraints

For all subtasks, you are guaranteed that:

- $1 \le N \le 100\,000.$
- $0 \le D < N$ .
- $1 \le F_i \le 1\,000\,000$ , for all *i*.
- $1 \leq X_i \leq N$  for all i.
- Each statue is demolished at most once.

Additional constraints for each subtask are given below.

Subtask	Points	Additional constraints
1	18	$D = 0$ and $N \le 1000$
2	18	D = 0
3	20	Only right facing statues are demolished
4	25	$D = N - 1$ and $X_i = i$ , for all <i>i</i> . That is, the statues are demolished from
		left to right (except the rightmost statue).
5	19	No further constraints apply.

#### Input

- The first line of input contains the two integers, N and D.
- The second line contains a string of N characters. The *i*-th character (starting from 1) in the string is L if the *i*-th statue faces left, otherwise it is R (the statue faces right).
- The third line contains N integers. The *i*-th integer (starting from 1) is  $F_i$ .
- The fourth line contains D integers. The *i*-th integer (starting from 1) is  $X_i$ .

## Output

The output should contain D + 1 lines.

- The first line should contain a single integer: the fewest flowers that need to be planted before any demolitions.
- D lines should follow. The *i*-th of these lines should contain the fewest flowers that need to be planted after the *i*-th demolition takes place.

## Sample Input 1

4 0 RRLR 5 1 2 1

## Sample Output 1

5

## Sample Input 2

6 2 RRLLRL 2 3 6 1 2 3 5 3

## Sample Output 2

8 6 3

# Explanation



Figure 1: Sample Case 1



Figure 2: Sample Case 2